

SoudaSeal 150 LM**1. Identification of the substance/preparation and the company****1.1 Identification of the substance or preparation:**

Product Name: SoudaSeal 150 LM

1.2 Use of the substance or the preparation:

Adhesive

1.3 Company/undertaking identification:SODAL N.V.
Everdongenlaan 18-20
B-2300 Turnhout
Tel.: +32 14 42 42 31
Fax : +32 14 44 39 71**1.4 Telephone number for emergency:**+32 14 58 45 45
Brandweerinformatiecentrum voor gevaarlijke stoffen (B.I.G.)
Technische Schoolstraat 43 A, B-2440 Geel**2. Composition/information on ingredients**

Hazardous ingredients	CAS No. EINECS/ELINCS No.	Conc. in %	Hazard symbol	Risks (R-phrases)
None	-	-	-	-

3. Hazards identification

- No hazard classification according to directives 67/548/EEC and 1999/45/EC

4. First aid measures**4.1 Eye contact:**

- Rinse immediately with plenty of water
- Seek medical advice

4.2 Skin contact:

- Rinse immediately with plenty of water
- If irritation persists: seek medical advice

4.3 After inhalation:

- Remove the victim into fresh air
- Seek medical advice

4.4 After ingestion:

- Never give water to an unconscious person
- Do not induce vomiting
- Seek medical advice

SoudaSeal 150 LM

5. Fire-fighting measures

- 5.1 **Suitable extinguishing media:**
- For surrounding fires: all extinguishing media allowed
- 5.2 **Unsuitable extinguishing media:**
- None
- 5.3 **Special exposure hazards:**
- On burning: release of e.g. carbon monoxide and carbon dioxide and formation of small quantities of hydrogenchloride
- 5.4 **Instructions:**
- No specific firefighting instructions required
- 5.5 **Special protective equipment for firefighters:**
- Heat/fire exposure: compressed air/oxygen apparatus
- Protective clothing for exposure to chemicals

6. Accidental release measures

- 6.1 **Personal protection/precautions:**
see heading 8.2/8.3/13
- 6.2 **Environmental precautions:**
- Use appropriate containment to avoid environmental contamination
- 6.3 **Methods of cleaning up:**
- Solid spill: cover with sand/kieselguhr
- Take collected spill to competent authority
- Clean contaminated surfaces with a soap solution

7. Handling and storage

- 7.1 **Handling:**
- In case of insufficient ventilation: keep naked flames/sparks away
- 7.2 **Storage:**
- Keep container tightly closed
- Store in a dry area
- | | | | |
|--------------------------------|---|--------------------|------|
| Storage temperature | : | Roomtemperature | |
| Quantity limits | : | N.D. | kg |
| Storage life | : | 365 | days |
| Materials for packaging | : | | |
| - suitable | : | synthetic material | |
- 7.3 **Specific uses:**
- See information supplied by the manufacturer

8. Exposure controls/Personal protection

8.1 Exposure limit values:

TLV-TWA	: not listed
TLV-STEL	: not listed
TLV-Ceiling	: not listed
OES-LTEL	: not listed
OES-STEL	: not listed
MAK	: not listed
TRK	: not listed
MAC-TGG 8 h	: not listed
MAC-TGG 15 min.	: not listed
MAC-Ceiling	: not listed
VME-8 h	: not listed
VLE-15 min.	: not listed
GWBB-8 h	: not listed
GWK-15 min.	: not listed
Momentary value	: not listed
EC	: not listed
EC-STEL	: not listed

8.2 Exposure controls:

8.2.1 Occupational exposure controls:

- Use only in well ventilated area

8.2.2 Environmental exposure controls: see heading 13

8.3 Personal protection:

8.3.1 respiratory protection:

- Respiratory protection not required for normal conditions of use

8.3.2 hand protection:

- Chemically resistant gloves

8.3.3 eye protection:

- Safety glasses

8.3.4 skin protection:

- Suitable protective clothing

SoudaSeal 150 LM

9. Physical and chemical properties

9.1 General information:

Appearance (at 20°C)	:	Paste
Odour	:	Mild
Colour	:	Variable in colour

9.2 Important health, safety and environmental information:

pH value	:	N.D.	
Boiling point/boiling range	:	N.D.	°C
Flashpoint	:	N.D.	°C
Explosion limits	:	N.D.	Vol%
Vapour pressure (at 20°C)	:	N.D.	hPa
Vapour pressure (at 50°C)	:	N.D.	hPa
Relative density (at 20°C)	:	1.6	
Water solubility	:	Insoluble	
Soluble in	:	Organic solvents	
Relative vapour density	:	N.D.	
Viscosity (at 20°C)	:	N.D.	Pa.s
Partition coefficient n-octanol/water	:	N.D.	
Evaporation rate	:		
ratio to butyl acetate	:	N.D.	
ratio to ether	:	N.D.	

9.3 Other information:

Melting point/melting range	:	N.D.	°C
Auto-ignition point	:	N.D.	°C
Saturation concentration	:	N.D.	g/m ³

10. Stability and reactivity

10.1 Conditions to avoid/reactivity:

- Stable under normal conditions

10.2 Materials to avoid:

- None

10.3 Hazardous decomposition products:

- On burning: release of e.g. carbon monoxide and carbon dioxide and formation of small quantities of hydrogenchloride

11. Toxicological information

11.1 Acute toxicity:

LD50 oral rat	: N.D.	mg/kg
LD50 dermal rabbit	: N.D.	mg/kg
LD50 dermal rabbit	: N.D.	mg/kg
LC50 inhalation rat	: N.D.	mg/l/4 h
LC50 inhalation rat	: N.D.	ppm/4 h

11.2 Chronic toxicity:

EC carc. cat.	: not listed
EC muta. cat.	: not listed
EC repr. cat.	: not listed
Carcinogenicity (TLV)	: not listed
Carcinogenicity (MAC)	: not listed
Carcinogenicity (VME)	: not listed
Carcinogenicity (GWBB)	: not listed
Carcinogenicity (MAK)	: not listed
Mutagenicity (MAK)	: not listed
Teratogenicity (MAK)	: not listed
IARC classification	: not listed

11.3 Routes of exposure: ingestion, inhalation, eye and skin

11.4 Acute effects/symptoms:
- Practically non-toxic

11.5 Chronic effects:
- None known

12. Ecological information

12.1 Ecotoxicity:

- No data available

12.2 Mobility:

- Volatile organic compounds (VOC): < 2 %
- Insoluble in water
- Substance sinks in water

For other physicochemical properties see section 9

12.3 Persistence and degradability:

- Biodegradation BOD₅ : N.D. % ThOD
- water : No data available
- soil : T ½ N.D. days

12.4 Bioaccumulative potential:

- log P_{ow} : N.D.
- BCF : N.D.

12.5 Other adverse effects:

- WGK : 1 (classification based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 17 May 1999)
- Effect on the ozone layer : Not dangerous for the ozone layer (1999/45/EC)
- Greenhouse effect : No data available
- Effect on waste water purification : No data available

13. Disposal considerations

13.1 Provisions relating to waste:

- Waste material code (75/442/EEC, Council Decision 2001/118/EC, O.J. L47 of 16/2/2001): 08 04 10 (waste adhesives and sealants other than those mentioned in 08 04 09)

13.2 Disposal methods:

- Remove to an authorized incinerator equipped with an afterburner and flue gas scrubber

13.3 Packaging:

- Waste material code packaging (75/442/EEC, Council Decision 2001/118/EC, O.J. L47 of 16/2/2001): 15 01 02 (plastic packaging)

SoudaSeal 150 LM

14. Transport information

- 14.1 Classification of the substance in compliance with UN Recommendations
- | | | |
|----------------------|---|-------------|
| UN number | : | - |
| CLASS | : | NOT SUBJECT |
| SUB RISKS | : | |
| PACKING | : | |
| PROPER SHIPPING NAME | : | |
- 14.2 ADR (transport by road)
- | | | |
|-----------------------|---|-------------|
| CLASS | : | NOT SUBJECT |
| PACKING | : | |
| DANGER LABEL TANKS | : | |
| DANGER LABEL PACKAGES | : | |
- 14.3 RID (transport by rail)
- | | | |
|-----------------------|---|-------------|
| CLASS | : | NOT SUBJECT |
| PACKING | : | |
| DANGER LABEL TANKS | : | |
| DANGER LABEL PACKAGES | : | |
- 14.4 ADNR (transport by inland waterways)
- | | | |
|-----------------------|---|-------------|
| CLASS | : | NOT SUBJECT |
| PACKING | : | |
| DANGER LABEL TANKS | : | |
| DANGER LABEL PACKAGES | : | |
- 14.5 IMDG (maritime transport)
- | | | |
|------------------|---|-------------|
| CLASS | : | NOT SUBJECT |
| SUB RISKS | : | |
| PACKING | : | |
| MFAG | : | |
| EMS | : | |
| MARINE POLLUTANT | : | |
- 14.6 ICAO (air transport)
- | | | |
|---|---|-------------|
| CLASS | : | NOT SUBJECT |
| SUB RISKS | : | |
| PACKING | : | |
| PACKING INSTRUCTIONS PASSENGER AIRCRAFT | : | |
| PACKING INSTRUCTIONS CARGO AIRCRAFT | : | |
- 14.7 Special precautions in connection with transport
- | | | |
|--|---|--|
| | : | Not restricted for any mode of international transport |
|--|---|--|

15. Regulatory information

Labelling in accordance with directives 67/548/EEC and 1999/45/EC

LABELLING NOT REQUIRED ACCORDING TO AVAILABLE INFORMATION

16. Other information

The information provided on this MSDS is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

N.A. = NOT APPLICABLE
N.D. = NOT DETERMINED
***** = INTERNAL CLASSIFICATION

Exposure limits:

TLV : Threshold Limit Value - ACGIH USA 2002
OES : Occupational Exposure Standards - United Kingdom 2001
MEL : Maximum Exposure Limits - United Kingdom 2001
MAK : Maximale Arbeitsplatzkonzentrationen - Germany 2001
TRK : Technische Richtkonzentrationen - Germany 2001
MAC : Maximale aanvaarde concentratie - the Netherlands 2002
VME : Valeurs limites de Moyenne d'Exposition - France 1999
VLE : Valeurs limites d'Exposition à court terme - France 1999
GWBB : Grenswaarde beroepsmatige blootstelling - Belgium 2002
GWK : Grenswaarde kortstondige blootstelling - Belgium 2002
EC : Indicative occupational exposure limit values - directive 2000/39/EC

I : Inhalable fraction = **T** : Total dust = **E** : Einatembarer Aerosolanteil
R : Respirable fraction = **A** : Alveolengängiger Aerosolanteil/Alveolar dust
C : Ceiling limit

a :	aerosol		r :	rook/Rauch	(fume)
d :	damp	(vapour)	st :	stof/Staub	(dust)
du :	dust		ve :	vezel	(fibre)
fa :	Faser	(fibre)	va :	vapour	
fi :	fibre		om :	oil mist	
fu :	fume		on :	olienevel/Önebel	(oil mist)
p :	poussière	(dust)	part :	particles	

Chronic toxicity:

K : List of the carcinogenic substances and processes - The Netherlands 2000